



ပြည်ထောင်စုသမ္မတမြန်မာနိုင်ငံတော်အစိုးရ
စီးပွားရေးနှင့်ကူးသန်းရောင်းဝယ်ရေးဝန်ကြီးဌာန
ဝန်ကြီးရုံး

အမိန့်ကြော်ငြာစာအမှတ်၊ ၆၃ / ၂၀၁၇
၁၃၇၉ ခုနှစ်၊ ပြာသိုလဆန်း ၄ ရက်
(၂၀၁၇ ခုနှစ်၊ ဒီဇင်ဘာလ ၂၁ ရက်)

ပြည်ထောင်စုသမ္မတမြန်မာနိုင်ငံတော်အစိုးရ၊ စီးပွားရေးနှင့် ကူးသန်းရောင်းဝယ်ရေး ဝန်ကြီးဌာနသည် ပို့ကုန်သွင်းကုန်ဥပဒေပုဒ်မ- ၁၃၊ ပုဒ်မခွဲ (ခ) အရ အပ်နှင်းထားသော လုပ်ပိုင်ခွင့်ကို ကျင့်သုံး၍ ဤအမိန့်ကြော်ငြာစာကို ထုတ်ပြန်လိုက်သည်။

နိုင်ငံခြားဖက်စပ်ကုမ္ပဏီ၊ နိုင်ငံခြားကုမ္ပဏီများအား တင်သွင်းရောင်းချခွင့်ပြုသည့် ဆောက်လုပ်ရေးလုပ်ငန်းသုံးပစ္စည်းများအား HS Code ဖြင့် ဖြည့်စွက်ထုတ်ပြန်ခြင်း

- ၁။ နိုင်ငံတော်၏ တည်ဆောက်ရေးလုပ်ငန်းများတွင် အသုံးပြုမည့် ပြည်ပမှတင်သွင်းသည့် ဆောက်လုပ်ရေးပစ္စည်းများအား အမျိုးအစား၊ အရည်အသွေးနှင့် ဈေးနှုန်းမှန်ကန်စေရန်နှင့် ဈေးကွက်အတွင်း မျှတသည့် ယှဉ်ပြိုင်မှုဖြစ်စေရန်အတွက် နိုင်ငံခြားကုမ္ပဏီနှင့် နိုင်ငံခြားဖက်စပ် ကုမ္ပဏီများအား ဆောက်လုပ်ရေးလုပ်ငန်းသုံးပစ္စည်းများ တင်သွင်းရောင်းချခွင့်ပြုခြင်းကို HS Code များဖြင့် ၂၀၁၆ ခုနှစ်၊ ဒီဇင်ဘာလ ၂၀ ရက်နေ့တွင် အမိန့်ကြော်ငြာစာအမှတ်၊ ၈၅/၂၀၁၆ ဖြင့် သတ်မှတ်ထုတ်ပြန်ထားပါသည်။
- ၂။ အဆိုပါ ခွင့်ပြုထားသော ပစ္စည်းများစာရင်းတွင် မပါဝင်သေးသည့် ပူးတွဲပါ ဆောက်လုပ်ရေးသုံး ပစ္စည်း (ကုန်စည်လိုင်းပေါင်း ၈၃ လိုင်း) အား နိုင်ငံခြားကုမ္ပဏီနှင့် နိုင်ငံခြား ဖက်စပ်ကုမ္ပဏီတို့ကို ဤအမိန့်ကြော်ငြာစာထုတ်ပြန်သည့်နေ့မှစတင်၍ တင်သွင်းရောင်းချခွင့်ပြုလိုက်သည်။
- ၃။ တင်သွင်းရောင်းချခွင့်ပြုသည့် ကုန်ပစ္စည်းစာရင်း (HS Code Line) ကို လိုအပ်သလို ပြောင်းလဲပြင်ဆင်သွားမည် ဖြစ်ပါသည်။

(ပုံ)

ဒေါက်တာသန်းမြင့်
ပြည်ထောင်စုဝန်ကြီး
စီးပွားရေးနှင့်ကူးသန်းရောင်းဝယ်ရေးဝန်ကြီးဌာန

စာအမှတ်၊ စက - ၁၁ / ၂ - ၁၈ / ၂၀၁၇ (၁)

ရက်စွဲ ၂၀၁၇ ခုနှစ်၊ ဒီဇင်ဘာလ ၂၁ ရက်

ဖြန့်ဝေခြင်း

နိုင်ငံတော်သမ္မတရုံး

ပြည်ထောင်စုအစိုးရအဖွဲ့ရုံး

ပြည်ထောင်စုလွှတ်တော်ရုံး

ပြည်သူ့လွှတ်တော်ရုံး

အမျိုးသားလွှတ်တော်ရုံး

ပြည်ထောင်စုတရားလွှတ်တော်ချုပ်

နိုင်ငံတော်ဖွဲ့စည်းပုံအခြေခံဥပဒေဆိုင်ရာရုံး

ပြည်ထောင်စုရွေးကောက်ပွဲကော်မရှင်ရုံး

ပြည်ထောင်စုဝန်ကြီးဌာနများအားလုံး

ပြည်ထောင်စုရှေ့နေချုပ်ရုံး

ပြည်ထောင်စုစာရင်းစစ်ချုပ်ရုံး

ပြည်ထောင်စုရာထူးဝန်အဖွဲ့ရုံး

နေပြည်တော်ကောင်စီရုံး

တိုင်းဒေသကြီး/ ပြည်နယ်အစိုးရအဖွဲ့များအားလုံး

အတွင်းရေးမှူး၊ မြန်မာနိုင်ငံရင်းနှီးမြှုပ်နှံမှုကော်မရှင်

မြန်မာနိုင်ငံတော်ဗဟိုဘဏ်

ညွှန်ကြားရေးမှူးချုပ်၊ ကုန်သွယ်ရေးဦးစီးဌာန

ညွှန်ကြားရေးမှူးချုပ်၊ စားသုံးသူရေးရာဦးစီးဌာန

ညွှန်ကြားရေးမှူးချုပ်၊ မြန်မာကုန်သွယ်မှုမြှင့်တင်ရေးအဖွဲ့

ညွှန်ကြားရေးမှူးချုပ်

ပုံနှိပ်ရေးနှင့်ထုတ်ဝေရေးဦးစီးဌာန

} မြန်မာနိုင်ငံပြန်တမ်းတွင်

ထည့်သွင်းကြေညာပေးပါရန်

ဥက္ကဋ္ဌ၊ ပြည်ထောင်စုသမ္မတမြန်မာနိုင်ငံကုန်သည်များနှင့် စက်မှုလက်မှုလုပ်ငန်းရှင်များ

အသင်းချုပ် (ညီနောင်အသင်းများထံ ထပ်မံဖြန့်ဝေပေးပါရန် မေတ္တာရပ်ခံချက်ဖြင့် ပေးပို့ပါသည်။)

အမိန့်အရ

တိုးအောင်မြင်

အမြဲတမ်းအတွင်းဝန်

နိုင်ငံခြားဖက်စပ်ကုမ္ပဏီနှင့် နိုင်ငံခြားကုမ္ပဏီများအား ထပ်တိုး၍ တင်သွင်းရောင်းချခွင့်ပြုသည့်
ဆောက်လုပ်ရေးလုပ်ငန်းသုံးပစ္စည်းစာရင်း
(H.S Code လိုင်းအရေအတွက်)

Sr.	Chapter No.	ပစ္စည်းအမျိုးအစားများ	H.S Code လိုင်းအရေအတွက်
1	25	ကျောက်တုံး၊ ကျောက်ပြား	3
2	32	အိမ်သုတ်ဆေးနှင့် ပတ်တီး	7
3	70	မှန်များ	4
4	72	လုပ်ငန်းသုံးသံ၊ သံချောင်း၊ သံမဏိများ	47
5	73	သံနှင့်ပြုလုပ်ထားသော ပိုက်အမျိုးမျိုး	21
6	76	အလူမီနီယံ တိုင်ကီ	1
		TOTAL	83

နိုင်ငံခြားဖက်စပ်ကုမ္ပဏီနှင့် နိုင်ငံခြားကုမ္ပဏီများအား ထပ်တိုး၍ တင်သွင်းရောင်းချခွင့်ပြုသည့်
ဆောက်လုပ်ရေးလုပ်ငန်းသုံးပစ္စည်းစာရင်း (H.S Code လိုင်းများ)

WCO H.S Code	AHTN Code	Stat. Code	MACCS Code	Description	Qty	MCT Rate (%)
25.16				Granite, porphyry, basalt, sandstone and other monumental or building stone, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape.		
2516.90	2516.90.00	00	6	- Other monumental or building stone	kg	3
25.17				Pebbles, gravel, broken or crushed stone, of a kind commonly used for concrete aggregates, for road metalling or for railway or other ballast, shingle and flint, whether or not heat-treated; macadam of slag, dross or similar industrial waste, whether or not incorporating the materials cited in the first part of the heading; tarred macadam; granules, chippings and powder, of stones of heading 25.15 or 25.16, whether or not heat-treated.		
				- Granules, chippings and powder, of stones of heading 25.15 or 25.16, whether or not heat-treated:		
2517.41	2517.41.00	00	0	-- Of marble	kg	zero
2517.49	2517.49.00	00	4	-- Other	kg	zero
32.09				Paints and varnishes (including enamels and lacquers) based on synthetic polymers or chemically modified natural polymers, dispersed or dissolved in an aqueous medium.		
3209.10				- Based on acrylic or vinyl polymers:		
	3209.10.10	00	0	-- Varnishes (including lacquers)	kg	7.5
	3209.10.40	00	4	-- Leather paints	kg	7.5
	3209.10.50	00	3	-- Anti-fouling and/or anti-corrosive paints for ships' hulls	kg	7.5
	3209.10.90	00	6	-- Other	kg	7.5
3209.90	3209.90.00	00	6	- Other	kg	7.5
32.14				Glaziers' putty, grafting putty, resin cements, caulking compounds and other mastics; painters' fillings; non-refractory surfacing preparations for facades, indoor walls, floors, ceilings or the like.		
3214.10	3214.10.00	00	6	- Glaziers' putty, grafting putty, resin cements, caulking compounds and other mastics; painters' fillings	kg	7.5
3214.90	3214.90.00	00	4	- Other	kg	7.5

WCO H.S Code	AHTN Code	Stat. Code	MACCS Code	Description	Qty	MCT Rate (%)
70.05				Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked.		
7005.10				- Non-wired glass, having an absorbent, reflecting or non-reflecting layer:		
	7005.10.90	00	1	-- Other	m ²	3
				- Other non-wired glass:		
7005.21				-- Coloured throughout the mass (body tinted), opacified, flashed or merely surface ground:		
	7005.21.90	00	3	--- Other	m ²	3
7005.29				-- Other:		
	7005.29.90	00	0	--- Other	m ²	3
70.06				Glass of heading 70.03, 70.04 or 70.05, bent, edge-worked, engraved, drilled, enamelled or otherwise worked, but not framed or fitted with other materials.		
	7006.00.90	00	4	- Other	kg	3
72.14				Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extracted, but including those twisted after rolling.		
7214.10				- Forged:		
				-- Containing by weight less than 0.6% of carbon:		
	7214.10.11	00	3	--- Of circular cross-section	kg	3
	7214.10.19	00	5	--- Other	kg	3
				-- Other:		
	7214.10.21	00	2	--- Of circular cross-section	kg	3
	7214.10.29	00	4	--- Other	kg	3
7214.20				- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:		
				-- Containing by weight less than 0.6% of carbon:		
				--- Of circular cross-section:		
	7214.20.31	00	6	---- Of a kind used for concrete reinforcement (rebars)	kg	3
	7214.20.39	00	1	---- Other	kg	3
				--- Other:		
	7214.20.41	00	5	---- Of a kind used for concrete reinforcement (rebars)	kg	3
	7214.20.49	00	0	---- Other	kg	3
				-- Other:		
				--- Of circular cross-section:		

WCO H.S Code	AHTN Code	Stat. Code	MACCS Code	Description	Qty	MCT Rate (%)
	7214.20.51	00	4	---- Of a kind used for concrete reinforcement (rebars)	kg	3
	7214.20.59	00	6	---- Other	kg	3
				--- Other:		
	7214.20.61	00	3	---- Of a kind used for concrete reinforcement (rebars)	kg	3
	7214.20.69	00	5	---- Other	kg	3
7214.30				- Other, of free-cutting steel:		
	7214.30.10	00	4	-- Of circular cross section	kg	3
	7214.30.90	00	3	-- Other	kg	3
				- Other:		
7214.91				-- Of rectangular (other than square) cross-section:		
				--- Containing by weight less than 0.6% of carbon:		
	7214.91.11	00	5	---- Containing by weight 0.38% or more of carbon and less than 1.15% of manganese	kg	3
	7214.91.12	00	0	---- Containing by weight 0.17% or more but not more than 0.46% of carbon and 1.2% or more but less than 1.65% of manganese	kg	3
	7214.91.19	00	0	---- Other	kg	3
				--- Containing by weight 0.6% or more of carbon:		
	7214.91.21	00	4	---- Containing by weight less than 1.15% of manganese	kg	3
	7214.91.29	00	6	---- Other	kg	3
7214.99				-- Other:		
				--- Containing by weight 0.6% or more of carbon, other than of circular cross-section:		
	7214.99.11	00	2	---- Containing by weight less than 1.15% of manganese	kg	3
	7214.99.19	00	4	---- Others	kg	3
				--- Other:		
	7214.99.91	00	1	---- Containing by weight less than 0.38% of carbon, not more than 0.05% of phosphorus and not more than 0.05% of sulphur	kg	3
	7214.99.92	00	3	---- Containing by weight 0.38% or more of carbon and less than 1.15% of manganese	kg	3
	7214.99.93	00	5	---- Containing by weight 0.17% or more but less than 0.46% of carbon and 1.2% or more but less than 1.65% of manganese	kg	3
	7214.99.99	00	3	---- Other	kg	3
72.27				Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.		

WCO H.S Code	AHTN Code	Stat. Code	MACCS Code	Description	Qty	MCT Rate (%)
7227.10	7227.10.00	00	1	- Of high speed steel	kg	3
7227.20	7227.20.00	00	6	- Of silico-manganese steel	kg	3
7227.90	7227.90.00	00	6	- Other	kg	3
72.28				Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.		
7228.10				- Bars and rods, of high speed steel:		
	7228.10.10	00	1	-- Of circular cross-section	kg	3
	7228.10.90	00	0	-- Other	kg	3
7228.20				- Bars and rods, of silico-manganese steel:		
				-- Of circular cross-section:		
	7228.20.11	00	1	--- Not further worked than hot-rolled, hot-drawn or extruded	kg	3
	7228.20.19	00	3	--- Other	kg	3
				-- Other:		
	7228.20.91	00	0	--- Not further worked than hot-rolled, hot-drawn or extruded	kg	3
	7228.20.99	00	2	--- Other	kg	3
7228.30				- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:		
	7228.30.10	00	4	-- Of circular cross-section	kg	3
	7228.30.90	00	3	-- Other	kg	3
7228.40				- Other bars and rods, not further worked than forged:		
	7228.40.10	00	2	-- Of circular cross-section	kg	3
	7228.40.90	00	1	-- Other	kg	3
7228.50				- Other bars and rods, not further worked than cold-formed or cold-finished:		
	7228.50.10	00	0	-- Of circular cross-section	kg	3
	7228.50.90	00	6	-- Other	kg	3
7228.60				- Other bars and rods:		
	7228.60.10	00	5	-- Of circular cross-section	kg	3
	7228.60.90	00	4	-- Other	kg	3
7228.70				- Angles, shapes and sections:		
	7228.70.10	00	3	-- Not further worked than hot-rolled, hot-drawn or extruded	kg	3
	7228.70.90	00	2	-- Other	kg	3
7228.80				- Hollow drill bars and rods:		
				-- Containing by weight 0.6% or more of carbon:		
	7228.80.11	00	3	--- Of circular cross-section	kg	3
	7228.80.19	00	5	--- Other	kg	3
	7228.80.90	00	0	-- Other	kg	3
73.07				Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel.		

WCO H.S Code	AHTN Code	Stat. Code	MACCS Code	Description	Qty	MCT Rate (%)
7307.11				- Cast fittings: -- Of non-malleable cast iron:		
	7307.11.10	00	0	--- Hubless tube or pipe fittings	kg	3
	7307.11.90	00	6	--- Other	kg	3
7307.19	7307.19.00	00	5	-- Other	kg	3
7307.21				- Other, of stainless steel: -- Flanges:		
	7307.21.10	00	5	--- Having an internal diameter of less than 15 cm	kg	3
	7307.21.90	00	4	--- Other	kg	3
7307.22				-- Threaded elbows, bends and sleeves:		
	7307.22.10	00	2	--- Having an internal diameter of less than 15 cm	kg	3
	7307.22.90	00	1	--- Other	kg	3
7307.23				-- Butt welding fittings:		
	7307.23.10	00	6	--- Having an internal diameter of less than 15 cm	kg	3
	7307.23.90	00	5	--- Other	kg	3
7307.29				-- Other:		
	7307.29.10	00	2	--- Having an internal diameter of less than 15 cm	kg	3
	7307.29.90	00	1	--- Other	kg	3
7307.91				- Other: -- Flanges:		
	7307.91.10	00	5	--- Having an internal diameter of less than 15 cm	kg	3
	7307.91.90	00	4	--- Other	kg	3
7307.92				-- Threaded elbows, bends and sleeves:		
	7307.92.10	00	2	--- Having an internal diameter of less than 15 cm	kg	3
	7307.92.90	00	1	--- Other	kg	3
7307.93				-- Butt welding fittings:		
	7307.93.10	00	6	--- Having an internal diameter of less than 15 cm	kg	3
	7307.93.90	00	5	--- Other	kg	3
7307.99				-- Other:		
	7307.99.10	00	2	--- Having an internal diameter of less than 15 cm	kg	3
	7307.99.90	00	1	--- Other	kg	3
73.13 7313.00	7313.00.00			Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel.	kg	3
		10	1	----- <i>Barbed wire</i>		
		90	4	----- <i>Other</i>		

WCO H.S Code	AHTN Code	Stat. Code	MACCS Code	Description	Qty	MCT Rate (%)
76.11 7611.00	7611.00.00	00	2	Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 l, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment.	u	7.5